

Annual Irrigation Supply and Demand Not Met for Other LOSA Basins

Annual Totals (1000 acft) for CALOOS BASIN

	07LORS			1bS2-aL			1bS2-mL			1b-T1			1b-T2		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	94.21	0.00	0.0	94.21	0.00	0.0	94.21	0.00	0.0	94.21	0.00	0.0	94.21	0.00	0.0
1966	97.92	0.00	0.0	97.92	0.00	0.0	97.92	0.00	0.0	97.92	0.00	0.0	97.92	0.00	0.0
1967	172.35	0.00	0.0	172.35	0.00	0.0	172.35	0.00	0.0	172.35	0.00	0.0	172.35	0.00	0.0
1968	133.43	0.00	0.0	133.43	0.00	0.0	133.43	1.90	1.4	133.43	0.00	0.0	133.43	5.55	4.2
1969	80.30	0.00	0.0	80.30	0.00	0.0	80.30	0.00	0.0	80.30	0.00	0.0	80.30	0.00	0.0
1970	86.26	0.00	0.0	86.26	0.00	0.0	86.26	0.00	0.0	86.26	0.00	0.0	86.26	0.00	0.0
1971	207.03	0.00	0.0	207.03	0.00	0.0	207.03	0.00	0.0	207.03	0.00	0.0	207.03	0.00	0.0
1972	159.49	17.06	10.7	159.49	7.29	4.6	159.49	7.30	4.6	159.49	7.02	4.4	159.49	7.02	4.4
1973	118.19	0.03	0.0	118.19	0.29	0.2	118.19	0.29	0.2	118.19	0.15	0.1	118.19	0.15	0.1
1974	161.04	22.36	13.9	161.04	6.52	4.0	161.04	6.96	4.3	161.04	6.03	3.7	161.04	8.60	5.3
1975	154.27	0.00	0.0	154.27	0.00	0.0	154.27	0.00	0.0	154.27	0.00	0.0	154.27	0.00	0.0
1976	131.18	0.00	0.0	131.18	0.00	0.0	131.18	0.00	0.0	131.18	0.00	0.0	131.18	0.00	0.0
1977	142.56	10.23	7.2	142.56	5.21	3.7	142.56	5.21	3.7	142.56	4.28	3.0	142.56	4.66	3.3
1978	85.78	0.00	0.0	85.78	0.00	0.0	85.78	0.00	0.0	85.78	0.00	0.0	85.78	0.00	0.0
1979	88.56	0.00	0.0	88.56	0.00	0.0	88.56	0.00	0.0	88.56	0.00	0.0	88.56	0.00	0.0
1980	157.01	0.00	0.0	157.01	0.00	0.0	157.01	0.00	0.0	157.01	0.00	0.0	157.01	0.00	0.0
1981	247.38	50.14	20.3	247.38	46.82	18.9	247.38	47.07	19.0	247.38	48.90	19.8	247.38	47.14	19.1
1982	121.82	16.31	13.4	121.82	17.57	14.4	121.82	19.76	16.2	121.82	20.62	16.9	121.82	20.54	16.9
1983	63.51	0.00	0.0	63.51	0.00	0.0	63.51	0.00	0.0	63.51	0.00	0.0	63.51	0.00	0.0
1984	99.70	0.00	0.0	99.70	0.00	0.0	99.70	0.00	0.0	99.70	0.00	0.0	99.70	0.00	0.0
1985	141.66	0.00	0.0	141.66	0.00	0.0	141.66	0.00	0.0	141.66	0.00	0.0	141.66	0.00	0.0
1986	132.51	0.00	0.0	132.51	0.00	0.0	132.51	0.00	0.0	132.51	0.00	0.0	132.51	0.00	0.0
1987	54.00	3.91	7.2	54.00	1.84	3.4	54.00	1.84	3.4	54.00	1.84	3.4	54.00	1.84	3.4
1988	140.64	0.00	0.0	140.64	0.00	0.0	140.64	0.00	0.0	140.64	0.00	0.0	140.64	0.00	0.0
1989	149.35	7.64	5.1	149.35	5.65	3.8	149.35	5.65	3.8	149.35	5.65	3.8	149.35	5.93	4.0
1990	152.73	27.15	17.8	152.73	8.67	5.7	152.73	8.67	5.7	152.73	8.67	5.7	152.73	16.26	10.6
1991	85.38	0.00	0.0	85.38	0.00	0.0	85.38	0.00	0.0	85.38	0.00	0.0	85.38	0.00	0.0
1992	99.96	0.00	0.0	99.96	0.00	0.0	99.96	0.00	0.0	99.96	0.00	0.0	99.96	0.00	0.0
1993	96.05	0.00	0.0	96.05	0.00	0.0	96.05	0.00	0.0	96.05	0.00	0.0	96.05	0.00	0.0
1994	61.33	0.00	0.0	61.33	0.00	0.0	61.33	0.00	0.0	61.33	0.00	0.0	61.33	0.00	0.0
1995	55.21	0.00	0.0	55.21	0.00	0.0	55.21	0.00	0.0	55.21	0.00	0.0	55.21	0.00	0.0
1996	110.11	0.00	0.0	110.11	0.00	0.0	110.11	0.00	0.0	110.11	0.00	0.0	110.11	0.00	0.0
1997	75.00	0.00	0.0	75.00	0.00	0.0	75.00	0.00	0.0	75.00	0.00	0.0	75.00	0.00	0.0
1998	74.62	0.00	0.0	74.62	0.00	0.0	74.62	0.00	0.0	74.62	0.00	0.0	74.62	0.00	0.0
1999	122.43	0.00	0.0	122.43	0.00	0.0	122.43	0.00	0.0	122.43	0.00	0.0	122.43	0.00	0.0
2000	217.37	0.02	0.0	217.37	15.75	7.2	217.37	16.47	7.6	217.37	16.63	7.6	217.37	16.70	7.7
Avg	121.40	4.30	3.5	121.40	3.21	2.6	121.40	3.36	2.8	121.40	3.33	2.7	121.40	3.73	3.1

Annual Totals (1000 acft) for ST\_LUCIE BASIN

	07LORS			1bS2-aL			1bS2-mL			1b-T1			1b-T2		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	29.94	0.00	0.0	29.94	0.00	0.0	29.94	0.00	0.0	29.94	0.00	0.0	29.94	0.00	0.0
1966	8.12	0.00	0.0	8.12	0.00	0.0	8.12	0.00	0.0	8.12	0.00	0.0	8.12	0.00	0.0
1967	41.56	0.00	0.0	41.56	0.00	0.0	41.56	0.00	0.0	41.56	0.00	0.0	41.56	0.00	0.0
1968	41.45	0.00	0.0	41.45	0.00	0.0	41.45	0.69	1.7	41.45	0.00	0.0	41.45	1.77	4.3
1969	16.68	0.00	0.0	16.68	0.00	0.0	16.68	0.00	0.0	16.68	0.00	0.0	16.68	0.00	0.0
1970	22.37	0.00	0.0	22.37	0.00	0.0	22.37	0.00	0.0	22.37	0.00	0.0	22.37	0.00	0.0

1971	39.04	0.00	0.0	39.04	0.00	0.0	39.04	0.00	0.0	39.04	0.00	0.0	39.04	0.00	0.0
1972	28.50	2.25	7.9	28.50	1.35	4.7	28.50	1.35	4.7	28.50	1.25	4.4	28.50	1.25	4.4
1973	29.15	0.00	0.0	29.15	0.05	0.2	29.15	0.05	0.2	29.15	0.01	0.0	29.15	0.01	0.0
1974	36.51	5.66	15.5	36.51	2.02	5.5	36.51	2.07	5.7	36.51	1.82	5.0	36.51	2.10	5.8
1975	33.04	0.00	0.0	33.04	0.00	0.0	33.04	0.00	0.0	33.04	0.00	0.0	33.04	0.00	0.0
1976	35.31	0.00	0.0	35.31	0.00	0.0	35.31	0.00	0.0	35.31	0.00	0.0	35.31	0.00	0.0
1977	42.85	4.51	10.5	42.85	1.86	4.3	42.85	1.86	4.3	42.85	1.28	3.0	42.85	1.56	3.6
1978	15.18	0.00	0.0	15.18	0.00	0.0	15.18	0.00	0.0	15.18	0.00	0.0	15.18	0.00	0.0
1979	19.57	0.00	0.0	19.57	0.00	0.0	19.57	0.00	0.0	19.57	0.00	0.0	19.57	0.00	0.0
1980	35.16	0.00	0.0	35.16	0.00	0.0	35.16	0.00	0.0	35.16	0.00	0.0	35.16	0.00	0.0
1981	65.27	16.12	24.7	65.27	12.66	19.4	65.27	12.83	19.7	65.27	13.47	20.6	65.27	12.77	19.6
1982	9.30	2.17	23.3	9.30	3.17	34.1	9.30	3.47	37.3	9.30	3.65	39.3	9.30	3.65	39.2
1983	12.10	0.00	0.0	12.10	0.00	0.0	12.10	0.00	0.0	12.10	0.00	0.0	12.10	0.00	0.0
1984	18.85	0.00	0.0	18.85	0.00	0.0	18.85	0.00	0.0	18.85	0.00	0.0	18.85	0.00	0.0
1985	39.81	0.00	0.0	39.81	0.00	0.0	39.81	0.00	0.0	39.81	0.00	0.0	39.81	0.00	0.0
1986	26.72	0.00	0.0	26.72	0.00	0.0	26.72	0.00	0.0	26.72	0.00	0.0	26.72	0.00	0.0
1987	37.06	1.65	4.5	37.06	1.32	3.6	37.06	1.32	3.6	37.06	1.07	2.9	37.06	1.25	3.4
1988	40.16	0.00	0.0	40.16	0.00	0.0	40.16	0.00	0.0	40.16	0.00	0.0	40.16	0.00	0.0
1989	41.69	3.38	8.1	41.69	1.53	3.7	41.69	1.53	3.7	41.69	1.53	3.7	41.69	2.41	5.8
1990	35.96	7.93	22.0	35.96	2.76	7.7	35.96	2.76	7.7	35.96	2.76	7.7	35.96	4.92	13.7
1991	2.81	0.00	0.0	2.81	0.00	0.0	2.81	0.00	0.0	2.81	0.00	0.0	2.81	0.00	0.0
1992	16.47	0.00	0.0	16.47	0.00	0.0	16.47	0.00	0.0	16.47	0.00	0.0	16.47	0.00	0.0
1993	20.36	0.00	0.0	20.36	0.00	0.0	20.36	0.00	0.0	20.36	0.00	0.0	20.36	0.00	0.0
1994	5.90	0.00	0.0	5.90	0.00	0.0	5.90	0.00	0.0	5.90	0.00	0.0	5.90	0.00	0.0
1995	10.05	0.00	0.0	10.05	0.00	0.0	10.05	0.00	0.0	10.05	0.00	0.0	10.05	0.00	0.0
1996	29.59	0.00	0.0	29.59	0.00	0.0	29.59	0.00	0.0	29.59	0.00	0.0	29.59	0.00	0.0
1997	18.94	0.00	0.0	18.94	0.00	0.0	18.94	0.00	0.0	18.94	0.00	0.0	18.94	0.00	0.0
1998	24.70	0.00	0.0	24.70	0.00	0.0	24.70	0.00	0.0	24.70	0.00	0.0	24.70	0.00	0.0
1999	35.40	0.00	0.0	35.40	0.00	0.0	35.40	0.00	0.0	35.40	0.00	0.0	35.40	0.00	0.0
2000	44.94	0.00	0.0	44.94	2.86	6.4	44.94	2.86	6.4	44.94	2.86	6.4	44.94	2.86	6.4
Avg	28.07	1.21	4.3	28.07	0.82	2.9	28.07	0.86	3.0	28.07	0.83	2.9	28.07	0.96	3.4

Annual Totals (1000 acft) for S4 BASIN

Dmd	07LORS			1bS2-aL			1bS2-mL			1b-T1			1b-T2		
	Vol-Cut	%-Cut	Dmd												
1965	28.75	0.00	0.0	28.75	0.00	0.0	28.75	0.00	0.0	28.75	0.00	0.0	28.75	0.00	0.0
1966	24.11	0.00	0.0	24.11	0.00	0.0	24.11	0.00	0.0	24.11	0.00	0.0	24.11	0.00	0.0
1967	46.06	0.00	0.0	46.06	0.00	0.0	46.06	0.00	0.0	46.06	0.00	0.0	46.06	0.00	0.0
1968	40.37	0.00	0.0	40.37	0.00	0.0	40.37	0.51	1.3	40.37	0.00	0.0	40.37	1.38	3.4
1969	18.21	0.00	0.0	18.21	0.00	0.0	18.21	0.00	0.0	18.21	0.00	0.0	18.21	0.00	0.0
1970	36.35	0.00	0.0	36.35	0.00	0.0	36.35	0.00	0.0	36.35	0.00	0.0	36.35	0.00	0.0
1971	45.67	0.00	0.0	45.67	0.00	0.0	45.67	0.00	0.0	45.67	0.00	0.0	45.67	0.00	0.0
1972	49.79	5.72	11.5	49.79	2.55	5.1	49.79	2.55	5.1	49.79	2.34	4.7	49.79	2.34	4.7
1973	33.76	0.32	0.9	33.76	0.11	0.3	33.76	0.11	0.3	33.76	0.03	0.1	33.76	0.03	0.1
1974	50.89	5.99	11.8	50.89	1.50	2.9	50.89	1.61	3.2	50.89	1.30	2.6	50.89	1.98	3.9
1975	41.38	0.00	0.0	41.38	0.00	0.0	41.38	0.00	0.0	41.38	0.00	0.0	41.38	0.00	0.0
1976	43.06	0.00	0.0	43.06	0.00	0.0	43.06	0.00	0.0	43.06	0.00	0.0	43.06	0.00	0.0
1977	36.14	5.06	14.0	36.14	1.92	5.3	36.14	1.92	5.3	36.14	1.65	4.6	36.14	1.77	4.9
1978	20.69	0.00	0.0	20.69	0.00	0.0	20.69	0.00	0.0	20.69	0.00	0.0	20.69	0.00	0.0
1979	29.47	0.00	0.0	29.47	0.00	0.0	29.47	0.00	0.0	29.47	0.00	0.0	29.47	0.00	0.0
1980	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0
1981	73.03	17.83	24.4	73.03	14.13	19.3	73.03	14.33	19.6	73.03	15.12	20.7	73.03	14.24	19.5
1982	28.94	3.65	12.6	28.94	3.73	12.9	28.94	4.34	15.0	28.94	4.62	16.0	28.94	4.58	15.8
1983	31.25	0.00	0.0	31.25	0.00	0.0	31.25	0.00	0.0	31.25	0.00	0.0	31.25	0.00	0.0
1984	28.36	0.00	0.0	28.36	0.00	0.0	28.36	0.00	0.0	28.36	0.00	0.0	28.36	0.00	0.0
1985	33.74	0.00	0.0	33.74	0.00	0.0	33.74	0.00	0.0	33.74	0.00	0.0	33.74	0.00	0.0
1986	33.86	0.00	0.0	33.86	0.00	0.0	33.86	0.00	0.0	33.86	0.00	0.0	33.86	0.00	0.0

1987	36.60	2.38	6.5	36.60	1.29	3.5	36.60	1.29	3.5	36.60	1.24	3.4	36.60	1.28	3.5
1988	40.94	0.00	0.0	40.94	0.00	0.0	40.94	0.00	0.0	40.94	0.00	0.0	40.94	0.00	0.0
1989	40.86	4.26	10.4	40.86	2.23	5.5	40.86	2.23	5.5	40.86	2.22	5.4	40.86	2.69	6.6
1990	41.21	7.64	18.5	41.21	2.66	6.5	41.21	2.66	6.5	41.21	2.66	6.5	41.21	4.81	11.7
1991	21.72	0.00	0.0	21.72	0.00	0.0	21.72	0.00	0.0	21.72	0.00	0.0	21.72	0.00	0.0
1992	35.18	0.00	0.0	35.18	0.00	0.0	35.18	0.00	0.0	35.18	0.00	0.0	35.18	0.00	0.0
1993	37.29	0.00	0.0	37.29	0.00	0.0	37.29	0.00	0.0	37.29	0.00	0.0	37.29	0.00	0.0
1994	13.18	0.00	0.0	13.18	0.00	0.0	13.18	0.00	0.0	13.18	0.00	0.0	13.18	0.00	0.0
1995	20.24	0.00	0.0	20.24	0.00	0.0	20.24	0.00	0.0	20.24	0.00	0.0	20.24	0.00	0.0
1996	43.42	0.00	0.0	43.42	0.00	0.0	43.42	0.00	0.0	43.42	0.00	0.0	43.42	0.00	0.0
1997	22.97	0.00	0.0	22.97	0.00	0.0	22.97	0.00	0.0	22.97	0.00	0.0	22.97	0.00	0.0
1998	33.67	0.00	0.0	33.67	0.00	0.0	33.67	0.00	0.0	33.67	0.00	0.0	33.67	0.00	0.0
1999	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0
2000	70.09	0.00	0.0	70.09	5.09	7.3	70.09	5.60	8.0	70.09	5.82	8.3	70.09	5.92	8.4
Avg	35.99	1.47	4.1	35.99	0.98	2.7	35.99	1.03	2.9	35.99	1.03	2.9	35.99	1.14	3.2

### Annual Totals (1000 acft) for S236 BASIN

	07LORS			1bS2-aL			1bS2-mL			1b-T1			1b-T2		
Dmd	Vol-Cut	%-Cut													
1965	9.26	0.00	0.0	9.26	0.00	0.0	9.26	0.00	0.0	9.26	0.00	0.0	9.26	0.00	0.0
1966	6.51	0.00	0.0	6.51	0.00	0.0	6.51	0.00	0.0	6.51	0.00	0.0	6.51	0.00	0.0
1967	11.81	0.00	0.0	11.81	0.00	0.0	11.81	0.00	0.0	11.81	0.00	0.0	11.81	0.00	0.0
1968	7.90	0.00	0.0	7.90	0.00	0.0	7.99	0.11	1.4	7.90	0.00	0.0	8.22	0.34	4.1
1969	4.05	0.00	0.0	4.05	0.00	0.0	4.05	0.00	0.0	4.05	0.00	0.0	4.05	0.00	0.0
1970	8.72	0.00	0.0	8.72	0.00	0.0	8.72	0.00	0.0	8.72	0.00	0.0	8.72	0.00	0.0
1971	10.06	0.25	2.4	10.01	0.00	0.0	10.01	0.00	0.0	10.02	0.02	0.2	10.01	0.00	0.0
1972	7.66	0.83	10.8	7.49	0.39	5.2	7.49	0.39	5.2	7.46	0.34	4.6	7.46	0.34	4.6
1973	7.10	0.22	3.1	7.05	0.07	1.0	7.05	0.07	1.0	7.04	0.05	0.7	7.04	0.05	0.7
1974	10.49	2.09	19.9	9.37	0.39	4.1	9.40	0.42	4.4	9.32	0.34	3.6	9.50	0.51	5.4
1975	7.65	0.00	0.0	7.65	0.00	0.0	7.65	0.00	0.0	7.65	0.00	0.0	7.65	0.00	0.0
1976	7.85	0.00	0.0	7.85	0.00	0.0	7.85	0.00	0.0	7.85	0.00	0.0	7.85	0.00	0.0
1977	7.99	0.61	7.7	7.90	0.31	3.9	7.90	0.31	3.9	7.86	0.21	2.6	7.88	0.26	3.3
1978	4.70	0.00	0.0	4.70	0.00	0.0	4.70	0.00	0.0	4.70	0.00	0.0	4.70	0.00	0.0
1979	8.22	0.00	0.0	8.22	0.00	0.0	8.22	0.00	0.0	8.22	0.00	0.0	8.22	0.00	0.0
1980	7.64	0.00	0.0	7.64	0.00	0.0	7.64	0.00	0.0	7.64	0.00	0.0	7.64	0.00	0.0
1981	14.40	3.95	27.5	14.08	2.68	19.1	14.10	2.71	19.2	14.14	2.85	20.1	14.08	2.70	19.2
1982	7.11	0.70	9.8	7.10	0.74	10.4	7.12	0.84	11.8	7.17	0.90	12.5	7.14	0.89	12.4
1983	6.61	0.00	0.0	6.61	0.00	0.0	6.61	0.00	0.0	6.61	0.00	0.0	6.61	0.00	0.0
1984	8.75	0.00	0.0	8.75	0.00	0.0	8.75	0.00	0.0	8.75	0.00	0.0	8.75	0.00	0.0
1985	8.11	0.00	0.0	8.11	0.00	0.0	8.11	0.00	0.0	8.11	0.03	0.3	8.11	0.00	0.0
1986	7.52	0.00	0.0	7.52	0.00	0.0	7.52	0.00	0.0	7.52	0.00	0.0	7.52	0.00	0.0
1987	10.46	0.39	3.7	10.51	0.37	3.5	10.51	0.37	3.5	10.45	0.27	2.6	10.49	0.34	3.2
1988	10.11	0.00	0.0	10.11	0.00	0.0	10.11	0.00	0.0	10.11	0.00	0.0	10.11	0.00	0.0
1989	12.13	1.87	15.4	11.59	0.71	6.1	11.59	0.71	6.1	11.59	0.70	6.1	11.82	1.09	9.2
1990	9.42	2.50	26.5	8.73	0.84	9.6	8.73	0.84	9.6	8.73	0.84	9.6	8.89	1.34	15.1
1991	5.96	0.00	0.0	5.95	0.00	0.0	5.95	0.00	0.0	5.95	0.00	0.0	6.02	0.00	0.0
1992	7.58	0.00	0.0	7.58	0.00	0.0	7.58	0.00	0.0	7.58	0.00	0.0	7.58	0.00	0.0
1993	7.86	0.00	0.0	7.86	0.00	0.0	7.86	0.00	0.0	7.86	0.00	0.0	7.86	0.00	0.0
1994	5.28	0.00	0.0	5.28	0.00	0.0	5.28	0.00	0.0	5.28	0.00	0.0	5.28	0.00	0.0
1995	5.55	0.00	0.0	5.55	0.00	0.0	5.55	0.00	0.0	5.55	0.00	0.0	5.55	0.00	0.0
1996	7.34	0.00	0.0	7.34	0.00	0.0	7.34	0.00	0.0	7.34	0.00	0.0	7.34	0.00	0.0
1997	4.31	0.00	0.0	4.31	0.00	0.0	4.31	0.00	0.0	4.31	0.00	0.0	4.31	0.00	0.0
1998	11.22	0.00	0.0	11.22	0.00	0.0	11.22	0.00	0.0	11.22	0.00	0.0	11.22	0.00	0.0
1999	9.84	0.00	0.0	9.84	0.00	0.0	9.84	0.00	0.0	9.84	0.00	0.0	9.84	0.00	0.0
2000	13.88	0.00	0.0	14.09	0.75	5.4	14.10	0.77	5.4	14.11	0.79	5.6	14.11	0.79	5.6
Avg	8.36	0.37	4.5	8.28	0.20	2.4	8.29	0.21	2.5	8.28	0.20	2.5	8.31	0.24	2.9

Annual Totals (1000 acft) for L8 BASIN

	07LORS			1bS2-aL			1bS2-mL			1b-T1			1b-T2		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	10.79	0.00	0.0	10.80	0.00	0.0	10.80	0.00	0.0	10.79	0.00	0.0	10.87	0.00	0.0
1966	5.53	0.00	0.0	5.55	0.00	0.0	5.56	0.00	0.0	5.55	0.00	0.0	5.71	0.00	0.0
1967	12.75	0.00	0.0	13.19	0.00	0.0	13.21	0.00	0.0	13.21	0.00	0.0	13.25	0.00	0.0
1968	10.29	0.00	0.0	10.29	0.00	0.0	10.28	0.19	1.8	10.29	0.00	0.0	10.30	0.56	5.5
1969	5.25	0.00	0.0	5.29	0.00	0.0	5.30	0.00	0.0	5.34	0.00	0.0	5.52	0.00	0.0
1970	8.21	0.00	0.0	8.16	0.00	0.0	8.14	0.00	0.0	8.22	0.00	0.0	8.20	0.00	0.0
1971	14.70	0.09	0.6	15.08	0.00	0.0	15.12	0.00	0.0	15.20	0.01	0.0	15.16	0.00	0.0
1972	8.49	0.54	6.3	9.14	0.30	3.3	9.15	0.30	3.3	9.06	0.28	3.1	8.99	0.28	3.1
1973	10.44	0.10	0.9	10.62	0.06	0.5	10.62	0.06	0.5	10.62	0.03	0.3	10.63	0.03	0.3
1974	10.60	1.45	13.6	10.61	0.43	4.1	10.61	0.46	4.3	10.62	0.37	3.4	10.61	0.53	5.0
1975	10.58	0.00	0.0	10.92	0.00	0.0	10.93	0.00	0.0	10.95	0.00	0.0	10.98	0.00	0.0
1976	11.15	0.00	0.0	11.68	0.00	0.0	11.68	0.00	0.0	11.66	0.00	0.0	11.73	0.00	0.0
1977	12.50	0.96	7.7	12.75	0.43	3.3	12.75	0.43	3.3	12.73	0.39	3.1	12.65	0.40	3.2
1978	6.73	0.00	0.0	7.10	0.00	0.0	7.10	0.00	0.0	7.07	0.00	0.0	7.12	0.00	0.0
1979	9.03	0.00	0.0	9.03	0.00	0.0	9.02	0.00	0.0	9.18	0.00	0.0	9.01	0.00	0.0
1980	9.37	0.00	0.0	9.47	0.00	0.0	9.48	0.00	0.0	9.60	0.00	0.0	9.50	0.00	0.0
1981	15.51	3.15	20.3	15.52	2.60	16.8	15.52	2.62	16.9	15.52	2.79	17.9	15.52	2.61	16.8
1982	5.18	0.61	11.8	5.32	0.70	13.1	5.34	0.77	14.4	5.36	0.78	14.6	5.39	0.78	14.4
1983	2.91	0.00	0.0	3.09	0.00	0.0	3.11	0.00	0.0	3.15	0.00	0.0	3.06	0.00	0.0
1984	7.45	0.00	0.0	7.46	0.00	0.0	7.49	0.00	0.0	7.61	0.00	0.0	7.44	0.00	0.0
1985	10.56	0.04	0.3	10.98	0.00	0.0	11.02	0.00	0.0	11.07	0.02	0.2	11.03	0.00	0.0
1986	8.11	0.00	0.0	8.74	0.00	0.0	8.77	0.00	0.0	8.72	0.00	0.0	8.77	0.00	0.0
1987	10.75	0.09	0.9	11.10	0.20	1.8	11.11	0.20	1.8	11.10	0.10	0.9	11.11	0.14	1.2
1988	11.72	0.00	0.0	12.11	0.00	0.0	12.11	0.00	0.0	12.10	0.00	0.0	12.35	0.00	0.0
1989	12.60	1.48	11.8	12.63	0.63	5.0	12.64	0.63	5.0	12.59	0.63	5.0	12.64	0.82	6.5
1990	11.13	2.19	19.7	11.30	0.65	5.8	11.30	0.65	5.8	11.29	0.65	5.8	11.33	1.28	11.3
1991	4.20	0.00	0.0	4.35	0.00	0.0	4.35	0.00	0.0	4.31	0.00	0.0	4.17	0.00	0.0
1992	6.28	0.00	0.0	6.35	0.00	0.0	6.37	0.00	0.0	6.34	0.00	0.0	6.33	0.00	0.0
1993	5.11	0.00	0.0	5.58	0.00	0.0	5.72	0.00	0.0	5.70	0.00	0.0	5.84	0.00	0.0
1994	3.13	0.00	0.0	3.10	0.00	0.0	3.16	0.00	0.0	3.20	0.00	0.0	3.30	0.00	0.0
1995	7.45	0.00	0.0	7.48	0.00	0.0	7.47	0.00	0.0	7.45	0.00	0.0	7.47	0.00	0.0
1996	8.46	0.00	0.0	8.78	0.00	0.0	8.82	0.00	0.0	8.81	0.00	0.0	8.96	0.00	0.0
1997	4.98	0.00	0.0	5.53	0.00	0.0	5.50	0.00	0.0	5.46	0.00	0.0	5.47	0.00	0.0
1998	6.14	0.00	0.0	6.33	0.00	0.0	6.40	0.00	0.0	6.35	0.00	0.0	6.38	0.00	0.0
1999	10.49	0.00	0.0	10.64	0.00	0.0	10.64	0.00	0.0	10.67	0.00	0.0	10.65	0.00	0.0
2000	14.40	0.00	0.0	14.70	1.07	7.3	14.68	1.07	7.3	14.68	1.08	7.3	14.68	1.08	7.4
Avg	8.97	0.30	3.3	9.19	0.20	2.1	9.20	0.20	2.2	9.21	0.20	2.1	9.23	0.24	2.6

Annual Totals (1000 acft) for 298\_DISTRICTS BASIN

	07LORS			1bS2-aL			1bS2-mL			1b-T1			1b-T2		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	16.09	0.00	0.0	16.09	0.00	0.0	16.09	0.00	0.0	16.09	0.00	0.0	16.09	0.00	0.0
1966	11.31	0.00	0.0	11.31	0.00	0.0	11.31	0.00	0.0	11.31	0.00	0.0	11.31	0.00	0.0
1967	20.52	0.00	0.0	20.52	0.00	0.0	20.52	0.00	0.0	20.52	0.00	0.0	20.52	0.00	0.0
1968	13.73	0.00	0.0	13.73	0.00	0.0	13.88	0.20	1.4	13.73	0.00	0.0	14.28	0.59	4.1
1969	7.03	0.00	0.0	7.03	0.00	0.0	7.03	0.00	0.0	7.03	0.00	0.0	7.03	0.00	0.0
1970	15.15	0.00	0.0	15.15	0.00	0.0	15.15	0.00	0.0	15.15	0.00	0.0	15.15	0.00	0.0
1971	17.49	0.43	2.4	17.40	0.00	0.0	17.40	0.00	0.0	17.41	0.03	0.2	17.40	0.00	0.0
1972	13.34	1.44	10.8	13.02	0.67	5.2	13.02	0.67	5.2	12.97	0.59	4.6	12.97	0.59	4.6

1973	12.36	0.38	3.1	12.25	0.12	0.9	12.25	0.12	1.0	12.23	0.09	0.7	12.23	0.09	0.7
1974	18.35	3.63	19.8	16.29	0.68	4.1	16.34	0.73	4.4	16.20	0.59	3.6	16.51	0.89	5.4
1975	13.29	0.00	0.0	13.29	0.00	0.0	13.29	0.00	0.0	13.29	0.00	0.0	13.29	0.00	0.0
1976	13.64	0.00	0.0	13.64	0.00	0.0	13.64	0.00	0.0	13.64	0.00	0.0	13.64	0.00	0.0
1977	13.90	1.07	7.7	13.74	0.54	3.9	13.74	0.54	3.9	13.66	0.36	2.6	13.70	0.46	3.3
1978	8.17	0.00	0.0	8.17	0.00	0.0	8.17	0.00	0.0	8.17	0.00	0.0	8.17	0.00	0.0
1979	14.28	0.00	0.0	14.28	0.00	0.0	14.28	0.00	0.0	14.28	0.00	0.0	14.28	0.00	0.0
1980	13.28	0.00	0.0	13.28	0.00	0.0	13.28	0.00	0.0	13.28	0.00	0.0	13.28	0.00	0.0
1981	25.03	6.87	27.5	24.47	4.67	19.1	24.51	4.72	19.2	24.58	4.95	20.1	24.48	4.69	19.2
1982	12.50	1.22	9.7	12.35	1.29	10.4	12.38	1.46	11.8	12.47	1.56	12.5	12.41	1.54	12.4
1983	11.48	0.00	0.0	11.48	0.00	0.0	11.48	0.00	0.0	11.48	0.00	0.0	11.48	0.00	0.0
1984	15.21	0.00	0.0	15.21	0.00	0.0	15.21	0.00	0.0	15.21	0.00	0.0	15.21	0.00	0.0
1985	14.09	0.01	0.0	14.09	0.00	0.0	14.09	0.00	0.0	14.09	0.05	0.3	14.09	0.00	0.0
1986	13.07	0.00	0.0	13.07	0.00	0.0	13.07	0.00	0.0	13.07	0.00	0.0	13.07	0.00	0.0
1987	18.18	0.68	3.7	18.26	0.65	3.5	18.26	0.65	3.5	18.17	0.47	2.6	18.23	0.59	3.2
1988	17.57	0.00	0.0	17.57	0.00	0.0	17.57	0.00	0.0	17.57	0.00	0.0	17.57	0.00	0.0
1989	21.10	3.25	15.4	20.14	1.23	6.1	20.14	1.23	6.1	20.14	1.22	6.1	20.54	1.89	9.2
1990	16.73	4.35	26.0	15.17	1.46	9.6	15.17	1.46	9.6	15.17	1.46	9.6	15.45	2.33	15.1
1991	10.35	0.00	0.0	10.35	0.00	0.0	10.35	0.00	0.0	10.35	0.00	0.0	10.46	0.00	0.0
1992	13.17	0.00	0.0	13.17	0.00	0.0	13.17	0.00	0.0	13.17	0.00	0.0	13.17	0.00	0.0
1993	13.67	0.00	0.0	13.67	0.00	0.0	13.67	0.00	0.0	13.67	0.00	0.0	13.67	0.00	0.0
1994	9.18	0.00	0.0	9.18	0.00	0.0	9.18	0.00	0.0	9.18	0.00	0.0	9.18	0.00	0.0
1995	9.65	0.00	0.0	9.65	0.00	0.0	9.65	0.00	0.0	9.65	0.00	0.0	9.65	0.00	0.0
1996	12.76	0.00	0.0	12.76	0.00	0.0	12.76	0.00	0.0	12.76	0.00	0.0	12.76	0.00	0.0
1997	7.49	0.00	0.0	7.49	0.00	0.0	7.49	0.00	0.0	7.49	0.00	0.0	7.49	0.00	0.0
1998	19.51	0.00	0.0	19.51	0.00	0.0	19.51	0.00	0.0	19.51	0.00	0.0	19.51	0.00	0.0
1999	17.10	0.00	0.0	17.10	0.00	0.0	17.10	0.00	0.0	17.10	0.00	0.0	17.10	0.00	0.0
2000	24.12	0.00	0.0	24.49	1.31	5.3	24.51	1.33	5.4	24.53	1.37	5.6	24.53	1.37	5.6
Avg	14.55	0.65	4.5	14.40	0.35	2.4	14.41	0.36	2.5	14.40	0.35	2.5	14.44	0.42	2.9

Annual Totals (1000 acft) for LOWER\_ISTOKPOGA BASIN

Dmd	07LORS		1bS2-aL		1bS2-mL		1b-T1		1b-T2			
	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	
1965	5.19	0.00	5.19	0.00	0.0	5.19	0.00	0.0	5.19	0.00	0.0	
1966	5.44	0.00	5.44	0.00	0.0	5.44	0.00	0.0	5.44	0.00	0.0	
1967	8.51	0.00	8.51	0.00	0.0	8.51	0.00	0.0	8.51	0.00	0.0	
1968	6.66	0.00	6.66	0.00	0.0	6.66	0.08	1.2	6.66	0.00	0.0	
1969	3.28	0.00	3.28	0.00	0.0	3.28	0.00	0.0	3.28	0.00	0.0	
1970	4.52	0.00	4.52	0.00	0.0	4.52	0.00	0.0	4.52	0.00	0.0	
1971	8.38	0.00	8.38	0.00	0.0	8.38	0.00	0.0	8.38	0.00	0.0	
1972	8.84	0.80	9.0	8.84	0.32	3.7	8.84	0.32	3.7	8.84	0.32	3.6
1973	5.20	0.01	0.2	5.20	0.05	0.9	5.20	0.05	0.9	5.20	0.02	0.5
1974	8.37	1.19	14.2	8.37	0.28	3.3	8.37	0.29	3.4	8.37	0.25	3.0
1975	10.13	0.00	0.0	10.13	0.00	0.0	10.13	0.00	0.0	10.13	0.00	0.0
1976	9.00	0.00	0.0	9.00	0.00	0.0	9.00	0.00	0.0	9.00	0.00	0.0
1977	7.99	0.79	9.9	7.99	0.27	3.4	7.99	0.27	3.4	7.99	0.23	2.9
1978	3.99	0.00	0.0	3.99	0.00	0.0	3.99	0.00	0.0	3.99	0.00	0.0
1979	5.01	0.00	0.0	5.01	0.00	0.0	5.01	0.00	0.0	5.01	0.00	0.0
1980	5.14	0.00	0.0	5.14	0.00	0.0	5.14	0.00	0.0	5.14	0.00	0.0
1981	11.34	2.56	22.6	11.34	2.04	18.0	11.34	2.08	18.4	11.34	2.20	19.4
1982	5.06	0.71	14.0	5.06	0.68	13.4	5.06	0.76	14.9	5.06	0.81	16.0
1983	2.59	0.00	0.0	2.59	0.00	0.0	2.59	0.00	0.0	2.59	0.00	0.0
1984	5.29	0.00	0.0	5.29	0.00	0.0	5.29	0.00	0.0	5.29	0.00	0.0
1985	7.63	0.01	0.1	7.63	0.00	0.0	7.63	0.00	0.0	7.63	0.00	0.0
1986	7.63	0.00	0.0	7.63	0.00	0.0	7.63	0.00	0.0	7.63	0.00	0.0
1987	6.13	0.36	5.9	6.13	0.31	5.1	6.13	0.31	5.1	6.13	0.21	3.4
1988	4.56	0.00	0.0	4.56	0.00	0.0	4.56	0.00	0.0	4.56	0.00	0.0

1989	8.03	0.81	10.1	8.03	0.29	3.6	8.03	0.29	3.6	8.03	0.29	3.6	8.03	0.43	5.4
1990	6.49	1.06	16.4	6.49	0.36	5.6	6.49	0.36	5.6	6.49	0.36	5.6	6.49	0.57	8.8
1991	3.16	0.00	0.0	3.16	0.00	0.0	3.16	0.00	0.0	3.16	0.00	0.0	3.16	0.00	0.0
1992	5.51	0.00	0.0	5.51	0.00	0.0	5.51	0.00	0.0	5.51	0.00	0.0	5.51	0.00	0.0
1993	5.17	0.00	0.0	5.17	0.00	0.0	5.17	0.00	0.0	5.17	0.00	0.0	5.17	0.00	0.0
1994	2.19	0.00	0.0	2.19	0.00	0.0	2.19	0.00	0.0	2.19	0.00	0.0	2.19	0.00	0.0
1995	2.84	0.00	0.0	2.84	0.00	0.0	2.84	0.00	0.0	2.84	0.00	0.0	2.84	0.00	0.0
1996	5.58	0.00	0.0	5.58	0.00	0.0	5.58	0.00	0.0	5.58	0.00	0.0	5.58	0.00	0.0
1997	4.03	0.00	0.0	4.03	0.00	0.0	4.03	0.00	0.0	4.03	0.00	0.0	4.03	0.00	0.0
1998	5.44	0.00	0.0	5.44	0.00	0.0	5.44	0.00	0.0	5.44	0.00	0.0	5.44	0.00	0.0
1999	5.97	0.00	0.0	5.97	0.00	0.0	5.97	0.00	0.0	5.97	0.00	0.0	5.97	0.00	0.0
2000	12.64	0.00	0.0	12.64	0.81	6.4	12.64	0.94	7.4	12.64	0.96	7.6	12.64	0.97	7.6
Avg	6.19	0.23	3.7	6.19	0.15	2.4	6.19	0.16	2.6	6.19	0.16	2.5	6.19	0.17	2.8

Annual Totals (1000 acft) for NORTH\_LAKE\_SHORE BASIN

	07LORS			1bS2-aL			1bS2-mL			1b-T1			1b-T2		
Dmd	Vol-Cut	%-Cut													
1965	1.53	0.00	0.0	1.53	0.00	0.0	1.53	0.00	0.0	1.53	0.00	0.0	1.53	0.00	0.0
1966	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0
1967	1.69	0.00	0.0	1.69	0.00	0.0	1.69	0.00	0.0	1.69	0.00	0.0	1.69	0.00	0.0
1968	1.58	0.00	0.0	1.58	0.00	0.0	1.58	0.00	0.0	1.58	0.00	0.0	1.58	0.00	0.0
1969	0.73	0.00	0.0	0.73	0.00	0.0	0.73	0.00	0.0	0.73	0.00	0.0	0.73	0.00	0.0
1970	1.15	0.00	0.0	1.15	0.00	0.0	1.15	0.00	0.0	1.15	0.00	0.0	1.15	0.00	0.0
1971	1.43	0.00	0.0	1.43	0.00	0.0	1.43	0.00	0.0	1.43	0.00	0.0	1.43	0.00	0.0
1972	1.59	0.13	8.4	1.59	0.05	3.4	1.59	0.05	3.4	1.59	0.05	3.2	1.59	0.05	3.2
1973	0.97	0.00	0.4	0.97	0.00	0.2	0.97	0.00	0.2	0.97	0.00	0.1	0.97	0.00	0.1
1974	1.74	0.13	7.4	1.74	0.03	1.6	1.74	0.03	1.6	1.74	0.03	1.6	1.74	0.03	2.0
1975	1.55	0.00	0.0	1.55	0.00	0.0	1.55	0.00	0.0	1.55	0.00	0.0	1.55	0.00	0.0
1976	1.36	0.00	0.0	1.36	0.00	0.0	1.36	0.00	0.0	1.36	0.00	0.0	1.36	0.00	0.0
1977	1.46	0.09	6.3	1.46	0.04	2.5	1.46	0.04	2.5	1.46	0.03	2.3	1.46	0.04	2.5
1978	0.98	0.00	0.0	0.98	0.00	0.0	0.98	0.00	0.0	0.98	0.00	0.0	0.98	0.00	0.0
1979	1.24	0.00	0.0	1.24	0.00	0.0	1.24	0.00	0.0	1.24	0.00	0.0	1.24	0.00	0.0
1980	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0
1981	2.32	0.44	19.1	2.32	0.35	14.9	2.32	0.35	15.0	2.32	0.37	15.8	2.32	0.35	15.0
1982	0.94	0.08	9.0	0.94	0.10	10.6	0.94	0.11	12.2	0.94	0.12	12.8	0.94	0.12	12.7
1983	1.13	0.00	0.0	1.13	0.00	0.0	1.13	0.00	0.0	1.13	0.00	0.0	1.13	0.00	0.0
1984	1.29	0.00	0.0	1.29	0.00	0.0	1.29	0.00	0.0	1.29	0.00	0.0	1.29	0.00	0.0
1985	1.51	0.00	0.0	1.51	0.00	0.0	1.51	0.00	0.0	1.51	0.00	0.0	1.51	0.00	0.0
1986	1.33	0.00	0.0	1.33	0.00	0.0	1.33	0.00	0.0	1.33	0.00	0.0	1.33	0.00	0.0
1987	1.52	0.09	5.7	1.52	0.06	4.1	1.52	0.06	4.1	1.52	0.06	3.7	1.52	0.06	4.0
1988	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0
1989	1.80	0.12	6.7	1.80	0.06	3.5	1.80	0.06	3.5	1.80	0.06	3.5	1.80	0.09	5.0
1990	1.28	0.14	10.9	1.28	0.06	4.8	1.28	0.06	4.8	1.28	0.06	4.8	1.28	0.12	9.1
1991	0.78	0.00	0.0	0.78	0.00	0.0	0.78	0.00	0.0	0.78	0.00	0.0	0.78	0.00	0.0
1992	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0
1993	1.34	0.00	0.0	1.34	0.00	0.0	1.34	0.00	0.0	1.34	0.00	0.0	1.34	0.00	0.0
1994	0.38	0.00	0.0	0.38	0.00	0.0	0.38	0.00	0.0	0.38	0.00	0.0	0.38	0.00	0.0
1995	1.04	0.00	0.0	1.04	0.00	0.0	1.04	0.00	0.0	1.04	0.00	0.0	1.04	0.00	0.0
1996	1.39	0.00	0.0	1.39	0.00	0.0	1.39	0.00	0.0	1.39	0.00	0.0	1.39	0.00	0.0
1997	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0
1998	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0
1999	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0
2000	2.34	0.00	0.0	2.34	0.16	6.7	2.34	0.16	7.0	2.34	0.17	7.2	2.34	0.17	7.4
Avg	1.32	0.03	2.6	1.32	0.03	1.9	1.32	0.03	2.0	1.32	0.03	2.0	1.32	0.03	2.2

Annual Totals (1000 acft) for NORTHEAST\_LAKE\_SHORE BASIN

	07LORS			1bS2-aL			1bS2-mL			1b-T1			1b-T2		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	8.79	0.00	0.0	8.79	0.00	0.0	8.79	0.00	0.0	8.79	0.00	0.0	8.79	0.00	0.0
1966	4.07	0.00	0.0	4.07	0.00	0.0	4.07	0.00	0.0	4.07	0.00	0.0	4.07	0.00	0.0
1967	9.01	0.00	0.0	9.01	0.00	0.0	9.01	0.00	0.0	9.01	0.00	0.0	9.01	0.00	0.0
1968	9.69	0.00	0.0	9.69	0.00	0.0	9.69	0.10	1.1	9.69	0.00	0.0	9.69	0.30	3.1
1969	2.77	0.00	0.0	2.77	0.00	0.0	2.77	0.00	0.0	2.77	0.00	0.0	2.77	0.00	0.0
1970	6.60	0.00	0.0	6.60	0.00	0.0	6.60	0.00	0.0	6.60	0.00	0.0	6.60	0.00	0.0
1971	9.53	0.04	0.4	9.53	0.00	0.0	9.53	0.00	0.0	9.53	0.00	0.0	9.53	0.00	0.0
1972	7.10	1.05	14.8	7.10	0.47	6.6	7.10	0.47	6.6	7.10	0.45	6.3	7.10	0.45	6.3
1973	5.45	0.00	0.0	5.45	0.01	0.3	5.45	0.01	0.3	5.45	0.01	0.1	5.45	0.01	0.1
1974	10.86	1.84	16.9	10.86	0.39	3.6	10.86	0.42	3.8	10.86	0.35	3.2	10.86	0.50	4.6
1975	9.69	0.00	0.0	9.69	0.00	0.0	9.69	0.00	0.0	9.69	0.00	0.0	9.69	0.00	0.0
1976	7.53	0.00	0.0	7.53	0.00	0.0	7.53	0.00	0.0	7.53	0.00	0.0	7.53	0.00	0.0
1977	7.53	0.71	9.5	7.53	0.36	4.8	7.53	0.36	4.8	7.53	0.31	4.2	7.53	0.34	4.6
1978	5.15	0.00	0.0	5.15	0.00	0.0	5.15	0.00	0.0	5.15	0.00	0.0	5.15	0.00	0.0
1979	7.42	0.00	0.0	7.42	0.00	0.0	7.42	0.00	0.0	7.42	0.00	0.0	7.42	0.00	0.0
1980	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0
1981	15.27	3.80	24.9	15.27	3.14	20.6	15.27	3.18	20.9	15.27	3.33	21.8	15.27	3.16	20.7
1982	5.46	0.45	8.2	5.46	0.62	11.3	5.46	0.72	13.1	5.46	0.75	13.7	5.46	0.75	13.7
1983	4.57	0.00	0.0	4.57	0.00	0.0	4.57	0.00	0.0	4.57	0.00	0.0	4.57	0.00	0.0
1984	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0
1985	10.78	0.00	0.0	10.78	0.00	0.0	10.78	0.00	0.0	10.78	0.00	0.0	10.78	0.00	0.0
1986	6.87	0.00	0.0	6.87	0.00	0.0	6.87	0.00	0.0	6.87	0.00	0.0	6.87	0.00	0.0
1987	7.67	0.60	7.8	7.67	0.31	4.1	7.67	0.31	4.1	7.67	0.29	3.8	7.67	0.30	3.9
1988	8.48	0.00	0.0	8.48	0.00	0.0	8.48	0.00	0.0	8.48	0.00	0.0	8.48	0.00	0.0
1989	9.09	0.77	8.4	9.09	0.38	4.2	9.09	0.38	4.2	9.09	0.38	4.2	9.09	0.39	4.3
1990	8.73	1.16	13.3	8.73	0.35	4.0	8.73	0.35	4.0	8.73	0.35	4.0	8.73	0.73	8.4
1991	4.37	0.00	0.0	4.37	0.00	0.0	4.37	0.00	0.0	4.37	0.00	0.0	4.37	0.00	0.0
1992	5.26	0.00	0.0	5.26	0.00	0.0	5.26	0.00	0.0	5.26	0.00	0.0	5.26	0.00	0.0
1993	10.04	0.00	0.0	10.04	0.00	0.0	10.04	0.00	0.0	10.04	0.00	0.0	10.04	0.00	0.0
1994	3.04	0.00	0.0	3.04	0.00	0.0	3.04	0.00	0.0	3.04	0.00	0.0	3.04	0.00	0.0
1995	6.70	0.00	0.0	6.70	0.00	0.0	6.70	0.00	0.0	6.70	0.00	0.0	6.70	0.00	0.0
1996	9.37	0.00	0.0	9.37	0.00	0.0	9.37	0.00	0.0	9.37	0.00	0.0	9.37	0.00	0.0
1997	6.88	0.00	0.0	6.88	0.00	0.0	6.88	0.00	0.0	6.88	0.00	0.0	6.88	0.00	0.0
1998	8.67	0.00	0.0	8.67	0.00	0.0	8.67	0.00	0.0	8.67	0.00	0.0	8.67	0.00	0.0
1999	9.19	0.00	0.0	9.19	0.00	0.0	9.19	0.00	0.0	9.19	0.00	0.0	9.19	0.00	0.0
2000	12.61	0.00	0.0	12.61	0.86	6.8	12.61	0.91	7.2	12.61	0.96	7.6	12.61	0.99	7.8
Avg	7.70	0.29	3.8	7.70	0.19	2.5	7.70	0.20	2.6	7.70	0.20	2.6	7.70	0.22	2.9

For Planning Purposes Only  
Run date: 11/14/06 15:07:03  
SFWMM V5.5.2  
Script used: losa\_dmd\_report.scr, V1.2